

Hunt Couplings Guide

WEST HILL WAGON WORKS





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Standard Coupling for NEM Sockets	4WH0300643	DESTRUCTION OF THE PROPERTY OF	OO Gauge Elite Standard Coupling for NEM Sockets - 4WH0300643	S mark on coupling top face Standard - 12.5mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require straight NEM couplings.
OO Gauge Elite Intermediate Coupling for NEM Sockets	4WH0300642		OO Gauge ELITE Intermediate Couplings for NEM Sockets - 4WH0300642 11.7mm 11.7mm Coupling face to NEM pocket	I mark on coupling top face Intermediate - 11.7mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require straight NEM couplings.
OO Gauge Elite ** PIVOTING ** Intermediate for NEM Sockets	4WH0300640	6868	OO Gauge ELITE - Pivoting Intermediate For NEM Sockets - 4WH0300640 11.7mm 11.7mm Coupling face to NEM pocket	Smooth coupling top face Intermediate - 11.7mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock with straight NEM couplings where extra freedom of movement on curves is required.





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Close Coupling for NEM Sockets	4WH0300641	3334 1 INTER	OO Gauge ELITE Close Couplings for NEM Sockets - 4WH0300641 9.5mm 9.5mm Coupling face to NEM pocket	C mark on coupling top face Close - 9.5mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require straight NEM couplings.
OO Gauge Elite **BUCKEYE** Close Coupling for NEM Sockets	4WH0300713	Re railing Equipment ADB 19903 OLD GAY COMMON TOX CONGON	OO Gauge ELITE **BUCKEYE** - Close For NEM Sockets - 4WH0300713 9.5mm 9.5mm Goupling face to NEM pockets	Buckeye Coupler Representation mark on coupling top face Close - 9.5mm from NEM 362 pocket face to magnet face Ideal for coaches Mk1 and Mk2 coaches that require straight NEM couplings.
OO Gauge Elite **STEPPED** Close Coupling for NEM Sockets	4WH0300649	M.O.T. 23768 16 TOUS	OO Gauge ELITE - Close **STEPPED** Couplings for NEM - 4WH0300649 9.5mm 9.5mm Coupling face to NEM pocket	C mark on coupling top face Close - 9.5mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require a 'Stepped' NEM coupling.





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Extra Close Coupling for NEM Sockets	4WH0300627		OO Gauge ELITE Extra Close Couplings for NEM Sockets - 4WH0300627 8.5mm 8.5mm Coupling face to NEM pocket	Extra-Close - 8.5mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require straight NEM couplings.
OO Gauge Elite Ultra Close Coupling for NEM Sockets	4WH0300644		OO Gauge ELITE Ultra Close Couplings for NEM Sockets - 4WH0300644 7.5mm 7.5mm Coupling face to NEM pocket	 ★ mark on coupling top face Ultra-Close - 7.5mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require straight NEM couplings.
OO Gauge Elite **STEPPED** Ultra Close Coupling for NEM Sockets	4WH0300636	7-13 B 47200	OO Gauge ELITE - Ultra Close **STEPPED** Couplings for NEM - 4WH0300636 7.5mm 7.5mm Coupling face to NEM pocket	★ mark on coupling top face Ultra-Close - 7.5mm from NEM 362 pocket face to magnet face Suitable for locomotives and rolling stock that require a 'Stepped' NEM coupling.





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite	4WH0300612		OO Gauge ELITE Mk1/Mk2 Pullman Stepped Close Couplings for NEM Sockets - 4WH0300612	P mark on coupling top face
Mk1/Mk2 Pullman			11.4mm 11.4mm	Close Coupling for Bachmann coaches that require a
Stepped Close Coupling		AD0077007		'Stepped' coupling.
for NEM Sockets			Coupling face to NEM pocket	
OO Gauge Elite **BUCKEYE**	4WH0300714		OO Gauge ELITE **BUCKEYE** Mk1/Mk2 Pullman Stepped Close Couplings for NEM Sockets - 4WH0300714	Buckeye Coupler Representation
Mk1/Mk2 Pullman			11.4mm	P mark on coupling top face
Stepped Close Coupling			Coupling face to NEM pocket	Close Coupling for Bachmann coaches that require a 'Stepped' coupling.
for NEM Sockets OO Gauge Elite Close Coupling for Oxford Mk3 Coaches	4WH0300637		OO Gauge ELITE - Close Coupling for Oxford Mk3 Coaches - 4WH0300637	Special couplers for close coupling of Oxford Mk3 coaching stock
			Coupling face to NEM socket	OX mark on coupling top face of coupling shank





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite **BUCKEYE**	4WH0300708		OO Gauge ELITE **BUCKEYE** Pack for HST Sets with NEM Couplings - 4WH0300708	Buckeye Coupler Representation
Pack for HST Set			POWER CAR	C mark on coupling top face of the coach couplings
Close Coupling		INTERCIT	10mm 10mm	For HSTs where the coaches
for NEM Sockets			MK3 HST Coaches	are fitted with NEM couplings
			9.5mm 9.5mm Coupling face to NEM pockets	1 Pair Power Car Couplings8 Pairs for Coaches
OO Gauge Elite Pack for HST Set	4WH0300634		OO Gauge ELITE - Pack for HST Set with Hornby Mk3 Sliding Door Coaches - 4WH0300634	Special SD couplers for close coupling of a Sliding Door stock HST set
with Hornby Mk3			10mm POWER CAR	
Sliding Door Coaches		41195		SD mark on coupling top face
			Mk3 Coaches (Silding Doors) 8.3mm	• 1 Pair Power Car Couplings
			Coupling face to NEM pockets	8 Pairs for Coaches
OO Gauge Elite **BUCKEYE**	4WH0300716		OO Gauge ELITE **BUCKEYE** Intermediate Couplings Pack For HST Set with CLIP Coupling - 4WH0300716	Buckeye Coupler Representation
Intermediate Coupling Pack for			Coupling face to NEM Pocket 10mm POWER CAR	Intermediate Coupling
HST Set		41064		For HSTs where the coaches
for Clip Sockets			17.7mm COACHES	are fitted with the older style Clip fit type couplings
			Coupling face to centre of mounting holes	• 1 Pair Power Car Couplings
				8 Pairs for Coaches





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite **BUCKEYE**	4WH0300715		OO Gauge ELITE **BUCKEYE** Close Couplings Pack For HST Set with CLIP Coupling - 4WH0300715	Buckeye Coupler Representation
Close Coupling Pack for HST Set			Coupling face to NEM Pocket 10mm POWER CAR	Close Coupling
for Clip Sockets		E 41063	16.7mm 16.7mm COACHES	For HSTs where the coaches are fitted with the older style Clip fit type couplings
			Coupling face to centre of mounting holes	1 Pair Power Car Couplings8 Pairs for Coaches
OO Gauge Elite **BUCKEYE**	4WH0300709		Additional Pair of HST Powercar "Buckeye" OO ELITE Couplings - 4WH0300709	Buckeye Coupler Representation
Additional Pair of HST Powercar				• 1 Pair Power Car Couplings
couplings		一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个	10mm 10mm	For HST Power Cars fitted with low mounted NEM
for NEM Sockets			Coupling face to NEM pocket	sockets
OO Gauge Elite	4WH0300614		OO Gauge ELITE - Additional Powercar Couplings For Mk3 Sliding Door Powercars - 4WH0300614	Special SD couplers for Sliding Door stock
Additional Pair of HST Powercar couplings for sets			10mm	• 1 Pair Power Car Couplings
with Hornby Mk3				For HST Power Cars fitted
Sliding Door coaches for NEM Sockets			Coupling face to NEM pocket	with low mounted NEM sockets





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Coupling Pack For Buffered Hornby HST Powercars	4WH0300653	IIIIIII ail adv	OO Gauge ELITE – Buffer Fitted HST Power Cars - 4WH0300653 11.7mm 11.7mm 9.5mm 9.5mm Amm Intermediate Coupling Power Car (Front) 7.6mm 7.6mm Power Car (Front) Power Car (Front)	Special Coupling Pack for the Hornby HST buffer fitted Powercars. Pack includes Couplings for 1 pair of Power Cars: • 2 Couplings for the rear of the power cars. • 2 Couplings for the front. • 2 Clip-on NEM Sockets
OO Gauge Elite Class 91 & Mk4 Coaches Original Tooling (non-NEM)	4WH0300622		OO Gauge ELITE - Class 91 & MK4 Coaches - 4WH0300622 14.5mm 14.5mm 14.5mm DVT (original non-NEM) Class 91 (original non-NEM) Coupling face to Hole Centre	Special Coupling Pack for the Original Tooling Non-NEM fitting includes:- • Elite Coupling or Class 91 with Shroud • 16 x Elite Couplings for 8 Mk4 Coaches • Elite Coupling for Mk4 DVT
OO Gauge Elite Class 91 & Mk4 DVT only Original Tooling (non-NEM)	4WH0300623		OO Gauge ELITE - Class 91 & Mk4 DVT only - 4WH0300623 OVT (original non-NEM) 15mm Class 91 (original non-NEM) Coupling face to Hole Centre	Special Pack for the Original Tooling Non-NEM 362 fitting includes — 1 x Elite Coupling For Class 91 with Shroud 1 x ELITE Coupling For Mk4 DVT





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Class 91 & Mk4 Coaches (2022 Release with NEM sockets)	4WH0300630		OO Gauge ELITE - Class 91 & MK4 Coaches (2022 Release) - 4WH0300630 Class 91 (2022) Tomm MK4 DVT (2022) Coupling face to NEM Pocket MK4 Coaches (2022)	Special NEM Coupling Pack includes:- • Elite Coupling or Class 91 with Shroud • 18 x Elite Couplings for 9 Mk4 Coaches • Elite Coupling for Mk4 DVT
OO Gauge Elite Class 91 & Mk4 DVT only (2022 Release with NEM sockets)	4WH0300631		OO Gauge ELITE - Class 91 & MK4 DVT only (2022 Release) - 4WH0300631 Class 91 (2022) MK4 DVT (2022) 7mm Coupling face to NEM Packet	Special NEM Pack includes – • 1 x Elite Coupling For Class 91 with Shroud • 1 x ELITE Coupling For Mk4 DVT
OO Gauge Elite **BUCKEYE** Dapol/Airfix Mk2 Coaches Close Coupling for Clip Sockets	4WH0300712	Inter-Cit	OO Gauge ELITE **BUCKEYE** Close Clip Couplings for Dapol/Airfix Mk2 Coaches - 4WH0300712 14.7mm 14.7mm 14.7mm 14.7mm	Buckeye Coupler Representation 14.7mm from mounting hole centre to magnet face





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite **BUCKEYE** Couplings for	4WH0300717		OO Gauge ELITE **BUCKEYE** - Close Clip Couplings for Hornby MK2D - 4WH0300717	Buckeye Coupler Representation
Hornby MK2D Coaches			14.7mm	14.7mm from mounting hole centre to magnet face
Close Coupling		941		For Mk2D coaches that are fitted with the older style Clip
for Clip Sockets			Coupling face to centre of mounting holes	fit type couplings
OO Gauge Elite **BUCKEYE**	4WH0300702		OO Gauge ELITE **BUCKEYE** Close Clip Couplings for Hornby Pullman Coaches - 4WH0300702	Buckeye Coupler Representation
Couplings for Hornby Pullman Coaches			S	15.8mm from mounting hole centre to magnet face
Close Coupling for Clip Sockets			15.8mm 15.8mm Coupling face to centre of mounting hole	Note:- these are not suitable for the newer Hornby Type K Pullman Coaches, use Close NEM.
OO Gauge Elite Intermediate	4WH0300632		OO Gauge ELITE - Intermediate Couplings for Hornby/Triang Riveted Socket - 4WH0300632	Intermediate Couplings for fitting to Hornby/Triang
Couplings for Hornby/Triang Riveted Socket			12.7mm 12.7mm	rolling stock after removal of the rivet holding the original coupling
		(D) 4		These couplings simply click into place in the rivet hole
			Coupling face to rivet hole centre	





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Close Couplings for Hornby/Triang Riveted Socket	4WH0300633		OO Gauge ELITE - Close Couplings for Hornby/Triang Riveted Socket - 4WH0300633	Close Couplings for fitting to Hornby/Triang rolling stock after removal of the rivet holding the original coupling
OO Gauge Elite Intermediate Pivoting for Hornby/Triang Riveted Socket	4WH0300648		OO Gauge ELITE – Pivoting Intermediate Couplings for Hornby/Triang Riveted Socket - 4WH0300648 11.7mm Coupling face to rivet hole centre	Intermediate Couplings for fitting to Hornby/Triang rolling stock after removal of the rivet holding the original coupling Suitable for locomotives and rolling stock where extra freedom of movement on curves is required.
OO Gauge Elite Pivoting Couplings For Hornby/Lima PGA Wagons	4WH0300646	AN YEOMA YE	OO Gauge ELITE - Pivoting Couplings For Hornby / Lima PGA Wagons - 4WH0300646 13.5mm 13.5mm Coupling face to centre of mounting holes	Special pivoting couplings designed to clip fit into the Lima coupling sockets such as those fitted to PGA Hopper Wagos





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Close Couplings for Screw Type fitting	4WH0300645		OO Gauge ELITE – Close Screw Type Couplings - 4WH0300645 11.7mm 11.7mm Coupling face to centre of mounting holes	Screw type fitting 11.7mm from mounting hole centre to magnet face Suitable for screw fitted couplings, for example Hornby, Replica, Mainline and other older locomotives and rolling stock.
OO Gauge Elite ** PIVOTING ** Intermediate for Screw Type fitting	4WH0300638		OO Gauge ELITE - Pivoting Intermediate Screw Type Couplings - 4WH0300638 12.7mm 12.7mm Coupling face to centre of mounting holes	Screw type fitting 12.7mm from mounting hole centre to magnet face Suitable for screw fitted couplings, for example Hornby, Replica, Mainline and other older locomotives and rolling stock where extra freedom of movement on curves is required.
OO Gauge Elite Close Coupling for Clip Sockets	4WH0300647	CARDIFF 25 B 2 TO LAND RESULT OF THE PROPERTY	OO Gauge ELITE – Close Couplings for Clip Socket - 4WH0300647 16mm 16mm Coupling face to centre of mounting hole	■ mark on coupling top face 16mm from mounting hole centre to magnet face





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Extra-Close Coupling for Clip Sockets	4WH0300651	550 B193471K	OO Gauge ELITE – Extra Close Couplings for Clip Socket - 4WH0300651 15mm 15mm Coupling face to centre of mounting hole	XC mark on coupling top face 15mm from mounting hole centre to magnet face
OO Gauge Elite **BUCKEYE** Intermediate Coupling for Centreset Shank fitting	4WH0300711	HS-S CAPY LICENT LICENT	OO Gauge ELITE - **BUCKEYE** Intermediate Coupling for Centreset Shank - 4WH0300711 14.5mm 14.5mm Coupling face to centre of mounting hole	Knuckle Coupler Representation 14.5mm from mounting hole centre to magnet face
OO Gauge Elite **BUCKEYE** Ultra Close Coupling for Centerset Shank fitting	4WH0300706		OO Gauge ELITE - **BUCKEYE** Ultra Close Coupling – Couplings for Centerset Shank - 4WH0300706 12.8mm 12.8mm 12.00 Coupling face to centre of mounting hole	Knuckle Coupler Representation 12.8mm from mounting hole centre to magnet face





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Coupling Pack for Bachmann FFA/FGA Wagons	4WH0300616	O8L43	OO Gauge ELITE - Coupling Pack for Bachmann FFA/FGA Wagons - 4WH0300616 Outer End Coupling 11.7mm 11.7mm 7.5mm 7.5mm Coupling face to pockets	Special set for INNER drawbars and OUTER end of the Bachmann FFA/FGA wagons I mark on coupling top face of OUTER Wagon couplings
OO Gauge Elite Coupling Pack for Bachmann Intermodal Wagons	4WH0300617		OO Gauge ELITE - Coupling Pack For Bachmann Intermodal Wagons - 4WH0300617 INNER Drawbar Coupling face to pockets OUTER Wagon End 9.5mm 9.5mm	Special set for INNER drawbars and OUTER end of the Bachmann Intermodal wagons C mark on coupling top face of OUTER Wagon couplings
OO Gauge Elite Coupling Pack for DAPOL MRA/MRC Wagons	4WH0300615	BR 121	DO Gauge ELITE - Coupling Pack For DAPOL MRA/MRC Wagons - 4WH0300615 INNER Drawbar Overall length 13.2mm 13.2 mm Outer End - Coupling Face to Pockets	Special set for INNER drawbars and OUTER end of Dapol MRA/MRC wagons C mark on coupling top face of OUTER Wagon couplings





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Coupling Pack for Dapol Megafret Wagons	4WH0300624		Coupling face to Hole Centre inner Drawbars 10 mm 10 mm Outer Ends of Wagon Coupling face to NEM Pocket	Special Pack includes – • 5 Pairs for NEM Draw Bars Between Wagons • 5 Pairs of Elite C Close for the ends of the Wagons
OO Gauge Elite Dapol FEA-B "Spine" Wagons	4WH0300625		OO Gauge ELITE - Dapol FEA-B "Spine" Wagons - 4WH0300625 Inner Wagon Drawbar 11.5mm Caupling face to Hole Centre Outer Wagon Coupling 11.7mm Coupling face to NEM Pocket	Special Pack includes – • 5 Pairs for NEM Draw Bars between inner ends of Wagons • 5 Pairs of Intermediate Elite for the outer ends of the Wagons
OO Gauge Elite **BUCKEYE** Dapol JHA O&K Wagons	4WH0300710	JHA Project Sept. 1975.	OO Gauge ELITE - **BUCKEYE** Dapol JHA O&K Wagons - 4WH0300710 Outer rake end couplings 11.7mm 12.7mm 12.7mm Inner couplings within rake Coupling face to wagon socket	This pack includes:- • 8 Pairs of a Special couplings designed for inner ends of the Dapol JHA Hopper Wagons • 2 Pairs of I Intermediate Elite Couplings for the end wagon connection to your loco





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Bachmann Class 220/221 "Voyager "	4WH0300626		OO Gauge ELITE - Bachmann Class 220/221 "Voyager " - 4WH0300626	Special couplings designed for the Bachmann Class 220/221 10 Pairs
OO Gauge Elite Hornby APT Class 370 Set Advanced Passenger Train	4WH0300620	Sc 45002	Coupling faces to Hole Centres 16mm 16mm 16mm 19.5mm 9.5mm 9.5mm Powelopment Coach 19.6mm NDM (Non-Driving Motor)	Special APT Coupling Pack Includes: 1 Pair for TBF Coach 2 Pairs for NDM 1 Pair for Development Coach
OO Gauge Elite APT Development Coach / Test Car	4WH0300621	B U 47	OO Gauge ELITE - APT Development Coach / Test Car - 4WH0300621 10.6mm	Special Couplings set incl: 1 pair for APT Development coach (48204) 1 pair Stepped Close Couplings for Bachmann coaches 1 pair of Close Couplings for Locomotives and Hornby coaches





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite Dellner Pivoting Multiple Working Couplings for Hornby Hitachi Class 800	4WH0300629	The state of the s	OO Gauge ELITE - Deliner Pivoting Multiple Working Couplings for Hornby Hitachi Class 800 - 4WH0300629 24.5mm 24.5mm Overail Length of Each Coupling	Special couplings for the outer (nose) end of Hornby Class 800 sets allowing two sets to be coupled together.
OO Gauge Elite Dellner Pivoting Multiple Working – Bachmann Class 220/221 "Voyager"	4WH0300628	Cross CD commonny	OO Gauge ELITE - Dellner Pivoting Multiple Working for Bachmann Class 220/221 "Voyager" - 4WH0300628 21mm 21mm Overall Length of Each Coupling	Special couplings for the outer (nose) end of Bachmann Voyager sets allowing two sets to be coupled together.
OO Gauge Elite For coupling the Dapol Class 68 to the Accurascale TPE Mk5 Coach Set	4WH0300650		OO Gauge ELITE - Dapo) Class 68 to TPE Mk5 - 4WH0300650. Intermediate Coupling face to NEM Pocket 10mm Inter- Close	Special pack of couplings for the Dapol Class 68 to TPE Mk5 Set, includes 2 Pairs of Couplings:- • 1 pair of Intermediate • 1 pair of Inter-Close)





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO Gauge Elite ViTrains	4WH0300618		OO Gauge ELITE - ViTrains 37-47 - 4WH0300618	Special Couplings to fit Vi-Trains Class 37 and Class 47 locomotives
Class 37 & Class 47 Locomotives			10.5mm 10.5mm	Class 47 locomotives
			Overall Length of Each Coupling	
NEM Socket for Bachmann Suburban Coaches	4WH0300102		OO Gauge - NEM Socket to fit Bachmann Suburban Coaches 4WH0300102 18mm NEM Socket face to mounting hole centre	Special NEM 362 socket adaptor plates designed for Bachmann Suburban Coaches. These NEM 362 sockets can also be useful for fitting to scratchbuilt or kitbuilt rolling
NEM Socket to fit Hornby Seacow Wagons	4WH0300101	58036	OO Gauge - NEM Socket to fit Hornby Seacow Wagons - 4WH0300101	stock Special NEM socket adaptor for fitting to Hornby Seacow Wagons
			NEM Socket face to mounting hole centre	These NEM 362 sockets can also be useful for fitting to scratchbuilt or kitbuilt rolling stock





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
NEM Sockets to fit Bachmann / Hornby OO	4WH0300103		OO Gauge - NEM Sockets - 4WH0300103	NEM 362 Sockets for Rolling Stock Replacement adaptor that fits into the V-shaped slot on many types of OO Gauge rolling stock
NEM Sockets for the Hornby APT Development Coach	4WH0300104	5c 480.4	OO Gauge - NEM Sockets for APT Development Coach - 4WH0300104 Height 9.25mm NEM Socket face to mounting hole centre	NEM 362 Sockets specifically for the Hornby APT Development Coach to allow fitting of standard NEM couplings such that the coach can be coupled to other rolling stock.
NEM Sockets for the front end of the Hornby Mk4 DVT (2022 Release)	4WH0300105		OO Gauge - NEM Socket for outer end of Hornby Mk4 DVT (2022 Release) - 4WH0300105 19mm NEM Socket face to DVT front valence inner mounting face	NEM Socket Adaption Allowing You To Prototypically Drag Your Mk4 DVT (2022 Release)





Description	Product Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
Screw Fit NEM Sockets Short (10mm)	4WH0300106		OVerall Depth Genm NEM Socket face to mounting hole centre	NEM 362 Sockets with a screw mounting hole - useful for kit built and scratch built stock Short version 10 mm from mounting hole to pocket face Includes spacers.
Screw Fit NEM Sockets Long (15mm)	4WH0300107		OO Gauge – Screw Fit NEM Sockets – Long (15mm) - 4WH0300107 2mm Diameter Mounting Hole Spacer Depth 2.75mm NEM 362 Socket NEM Socket face to mounting hole centre	NEM 362 Sockets with a screw mounting hole - useful for kit built and scratch built stock Long version 15 mm from mounting hole to pocket face Includes spacers.
Screw Fit NEM Socket Mounts	4WH0300109		OO Gauge – Screw Fit Socket Mounts for NEM - 4WH0300109 Zmm Diameter Mounting Hole Spacer Depth 2.75mm Overall Width 12mm Use with NEM Sockets - 4WH0300103	Useful for kit built and scratch built stock Includes spacers.





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
N Gauge Elite Standard Coupling for NEM Sockets	2WH0300311		N Gauge Elite - Standard NEM Socket - 2WH0300311 7.5mm 7.5mm Coupling face to NEM pocket end	S mark on coupling top face Standard - 7.5mm from NEM pocket end to magnet face
N Gauge Elite Intermediate Coupling for NEM Sockets	2WH0300312	Tiphook Rail Ends 1	N Gauge Elite - Intermediate NEM Socket - 2WH0300312	I mark on coupling top face Intermediate - 6mm from NEM pocket end to magnet face
N Gauge Elite Close Coupling for NEM Sockets	2WH0300313		N Gauge Elite - Close NEM Socket - 2WH0300313 5.2mm 5.2mm 5.2mm	C mark on coupling top face Close - 5.2mm from NEM pocket end to magnet face





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
N Gauge Elite Close Coupling	2WH0300304		N Gauge Elite - Close Spring Socket - 2WH0300304	Close - 6mm from retaining lugs to the magnet face
close coupling			6mm 6mm	
for Spring Sockets				
			Coupling face to retaining lugs	
N Gauge Elite	2WH0300306		N Gauge Elite - Dapol HST - 2WH0300306	Dapol HST Set
Pack for Dapol HST			Power Car 6mm 6mm	1 Pair Power Car Couplings8 Pairs for Mk3 Coaches
			Mk3 Coaches 5.2mm	
N Gauge Elite	2WH0300307		N Gauge Elite - Dapol HST Power Car - 2WH0300307	Dapol HST Power Cars
Additional pack for Dapol HST Power Car			Power Car 6mm 6mm	• 1 Pair Power Car Couplings
			Coupling face to NEM pocket end	





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
N Gauge Elite	2WH0300317		N Gauge Elite – "Buckeye" - Coupling Pack for Graham Farish HST - 2WH0300317	Graham Farish HST
BUCKEYE ELITE - HST Coupling Pack For Graham Farish			Smm Smm	Buckeye Coupler Representation
HST		3178	Power Cars (ELC) Mk3 Coaches (ELC) Mk3 Coaches (ELC)	1 Pair Power Car Couplings8 Pairs for Coaches
N Gauge Elite	2WH0300308		Coupling face to retaining lugs N Gauge Elite - Graham Farish Class 220/221 Voyager - 2WH0300308	Graham Farish Voyager
for Graham Farish Class 220/221 Voyager		cross country	Coupling face to hole centre	• 8 Pairs of custom couplings to fit Class 220/221 only
N Gauge Elite **BUCKEYE**	2WH0300401		N Gauge Elite - Intermediate Buckeye Elite NEM Socket - 2WH0300401	Buckeye Coupler Representation
Intermediate Coupling		TAME TO SERVICE OF THE PARTY OF	6mm 6mm	
for NEM Sockets			Coupling face to NEM pocket end	
N Gauge Elite **BUCKEYE**	2WH0300402		N Gauge Elite - Close Buckeye Elite NEM Socket - 2WH0300402	Buckeye Coupler Representation
Close Coupling		1 INTERCITY	5.2mm	
for NEM Sockets			Coupling Face to NEM pocket end	





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
N Gauge Elite **BUCKEYE** Close Coupling - 10 Pairs for Spring Sockets	2WH0300403	E si71 Inter-City	N Gauge Elite – **BUCKEYE** Close Coupling for Spring Sockets - 2WH0300403 6mm 6mm Coupling face to retaining lugs	Buckeye Coupler Representation
N Gauge Elite Close Coupling - 10 Pairs for Peco Wagon Kits	2WH0300318		N Gauge Elite - Close Coupling for Peco Wagon Kits - 2WH0300318 7.5mm 7.5mm Overall Coupling Length	Close coupling designed to drop into the coupling pockets of Peco wagons and wagon kits.
N Gauge Elite Pivoting Intermediate Coupling - 10 Pairs for NEM Sockets	2WH0300314		N Gauge Elite - Pivoting Intermediate Couplings for NEM Sockets - 2WH0300314 6mm	I mark on coupling top face Intermediate - 6mm from NEM pocket end to magnet face Use where extra freedom of movement on curves is required.





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
N Gauge Elite for Dapol Megafret Wagons	2WH0300310	DOUBLE WS	N Gauge Elite - Dapol Megafret Wagons - 2WH0300310 Inner End of Wagons Coupling face to hole centre Girm 4.5mm Outer End Coupling face to NEM pocket end	 5 Pairs of Clip Couplings for the inner ends of the wagons 5 Pairs of Intermediate Couplings for the outer ends of the wagons
N Gauge Elite for Dapol O&K Hopper Wagons	2WH0300319	YE	N Gauge Elite — Couplings for Dapol O&K JHA Hopper Wagons - 2WH0300319 6mm	Special pack for the Dapol JHA Wagons including:- • 9 Pairs of specially designed couplings for the JHA Hopper Wagons. • 1 Pair of Intermediate Elite Couplings for the End Connections.



Hunt Couplings Guide – ELITE TT:120 Scale



Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
TT:120 Scale Elite Extra Close Coupling NEM Sockets	3WH0301001	ed, London eisch Hamburg	TT:120 Scale Elite - Extra Close Coupling NEM Sockets - 3WH0301001	Extra Close couplings designed to fit into the NEM sockets of TT:120 scale locomotives and rolling stock. XC mark on coupling top face of couplings
TT:120 Scale Elite Close Coupling NEM Sockets	3WH0301002	pany, Limited, London r & Co. Abt. Fleisch offerdam - Hamburg	TT:120 Scale Elite - Close Coupling NEM Sockets - 3WH0301002	Close couplings designed to fit into the NEM sockets of TT:120 scale locomotives and rolling stock. C mark on coupling top face of couplings
TT:120 Scale Elite Intermediate Coupling NEM Sockets	3WH0301003		TT:120 Scale Elite - Intermediate Coupling NEM Sockets - 3WH0301003	Intermediate length couplings designed to fit into the NEM sockets of TT:120 scale locomotives and rolling stock. I mark on coupling top face of couplings



Hunt Couplings Guide – ELITE TT:120 Scale



Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
TT:120 Scale Elite Close **BUCKEYE** Coupling NEM Sockets	3WH0301004	Kühlwa Kühlwa Baran Bara	TT:120 Scale Elite — Buckeye Close Coupling NEM Sockets - 3WH0301004 6mm	Close couplings designed to fit into the NEM sockets of TT:120 scale locomotives and rolling stock. Buckeye Coupler Representation C mark on coupling top face of couplings





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO9 Gauge Elite for Lilliput Screw Sockets	9WH0300901		OO-9 Gauge Elite - for Lilliput Screw Sockets - 9WH0300901 7.5mm 7.5mm Coupling face to Hole Centre	Close Couplings for Lilliput Screw type fitting C mark on coupling top face of couplings
OO9 Gauge Elite Close Coupling for Roco/Graham Farish Box Sockets	9WH0300902	100 GBB GB	OO-9 Gauge Elite – Close Couplings for Roco / Graham Farish Box Sockets - 9WH0300902 7mm 7mm Overall Length of Each Coupling	Close Couplings to fit into Roco/GF box sockets C mark on coupling top face of couplings
OO9 Gauge Elite Intermediate Coupling for Roco/Graham Farish Box Sockets	9WH0300903		OO-9 Gauge Elite – Intermediate Couplings for Roco / Graham Farish Box Sockets - 9WH0300903 8.3mm 8.3mm Overall Length of Each Coupling	Intermediate Couplings to fit into Roco/GF box sockets I mark on coupling top face of couplings





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO9 Gauge Elite	9WH0300906		OO-9 Gauge Elite - Close Coupling for NEM 355 Sockets - 9WH0300906	Close Couplings for NEM 355 Sockets
Close Coupling for NEM 355 pockets			5.4mm 5.4mm	C mark on coupling top face of couplings
			Coupling face to end of NEM 355 socket	
OO9 Gauge Elite	9WH0300904		OO-9 Gauge Elite - Extra Close Coupling for NEM 355 Sockets - 9WH0300904	Extra Close Couplings for NEM 355 Sockets
Extra Close Coupling For NEM 355 pockets			Coupling face to end of NEM 355 socket	XC mark on coupling top face of couplings
OO9 Gauge Elite	9WH0300905		OO-9 Gauge Elite - Uitra Close Coupling for NEM 355 Sockets - 9WH0300905	Ultra Close Couplings for NEM 355 Sockets
Ultra Close Coupling		5 D R	3.7mm 3.7mm	UC mark on coupling top face of couplings
For NEM 355 pockets			Caupling face to end of NEM 355 socket	





Description	Code	Product Card Pictures	Diagrams / Lengths	Notes / Application
OO9 Gauge NEM 355 Sockets	9WH0300907		OO-9 Gauge - NEM 355 Sockets – 9WH0300907 1mm	NEM 355 Sockets, ideal for fitting NEM Sockets to older, scratch & kit built stock 4 x Straight 4 x 1mm Stepped 4 x 2mm Stepped 4 x 3mm Stepped

WEST HILL WAGON WORKS

West Hill Wagon Works LTD Unit 3b New Line Road Kirkby In Ashfield Nottinghamshire NG17 8JQ

01623 759939

office@westhillwagonworks.co.uk